Dart Aerospace Ltd. Tuesday, 08/04/2008 4:52:29 PM Julie Lecocq User: **Process Sheet** : CU-DAR001 Dart Helicopters Services **Drawing Name** : BASKET LID ASSEMBLY Customer **Job Number** : 38457A : 10206 **Estimate Number** : D2989041 **Part Number** P.O. Number : D2989 UNDER REVIEW 08.04 : 08/04/2008 S.O. No. : **Drawing Number** This Issue **Project Number** : N/A : NC Prsht Rev. : B : LARGE FAB ASSY **Drawing Revision** First Issue : // Type : 38456A Material **Previous Run** Each **Due Date** : 30/04/2008 Qty: 1 Um: Written By Checked & Approved By 05-11-03 JLM Comment : Est Rev:I Removed D2989-043 **Additional Product** Job Number: Description: Seq. #: **Machine Or Operation:** D31663 Basket Hoop 1.0 Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Pick: B36860 Qty.(1) D3166-3 Mounting Bracket D2581 2.0 2.0000 Each(s)/Unit Total: Comment: Qty.: 2.0000 Each(s) Pick: Description Batch **Qty Part number** Mounting Brackets 2 D2581 3.0 D23273 Spacer Bushing Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part number** Description Batch 137851 2 D2327-3 Bushing 0430 4.0 D2506 Placard Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s) Pick: Description Batch Label Plate 17355 **Qty Part number** 1 D2506

Page_1

FC 08 0430

Form: rprocess

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
+										
:										

Part No:	F	PAR #:	Fault Category:	NCR: Yes N	lo DQA:	Date:	
	·			QA: N/	C Closed:	Date:	

NCR:		V	VORK OR	DER NON-CONFORMANC	E (NCR)		•	
		Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
			j					
						,		
						,		
			•					
				•				
				•				

NOTE: Date & initial all entries

Date: Tuesday, 08/04/2008 4:52:30 PM User: Julie Lecocq **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: BASKET LID ASSEMBLY Job Number: 38457A Part Number: D2989041 Job Number: Seq. #: Machine Or Operation: Description: M304EX07516F 5.0 **Expanded Metal Flat Stai** Comment: Qty.: 15.0000 sf(s)/Unit Total: 15.0000 sf(s) Pick: Qty Part number Description Batch 15sf M304EX0.75-16F **Expanded Metal** 6.0 M304TS0750W065 0.065" 14 01.04.09 Comment: Qty.: 31.7709 f(s)/Unit Total: 31.7709 f(s) 3/4" x 3/4" x 0.063" wall 304/316 SStubing. Batch: 107515 LARGE FAB 1 7.0 LARGE FABRICATION RESOURCE 1 Comment: LARGE FABRICATION RESOURCE 1 1-Cut (4) D2236-1 From D3166-3 As Per Dwg D2989 2-Drill holes in tubing as D2989-041 per Dwg D2989 Sad 08/04/27 3-Deburr and remove all markings on material 4-Weld as per Dwg D2989 and D2989-041 Assembly using Welding Table and corner Jig. Deburr as FC/100005-01 Note: Expanded metal "diamonds" must run lengthwise. Eg 2.0" along length of lid 5-Drill Ø0.257" hole as D2989-041 per Dwg D2989Identify as D2989-041 8.0 QC9 VISUAL WELDING INSPECTION Comment: VISUAL WELDING INSPECTION 9.0 QC5 INSPECT WORK TO CURRENT STEP Comment: INSPECT WORK TO CURRENT STEP 10.0 POWDER COATING M107550 Comment: POWDER COATING 1-Powder Coat White (Ref. 4.3.5.2) D2989-041 as per QSI 005 4.3 & Dwg D2989 08-05-01 Page 2 Forn proc

Dart Ae	rospace	e Ltd							
×10.			W	ORK ORDER CHANGES					·
DATE .	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cate	gory: NO	CR: Yes	No DQ	A :	_ Date:	
					QA: N	C Close	d:	_ Date:	
NCR:			WORK ORD	ER NON-CONFORMANC	E (NCR)			
		Description of NC		Corrective Action Section B		Verific		Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date		ction C	Chief Eng	QC Inspector
							1		
			,						

NOTE: Date & initial all entries

Date: User:

Tuesday, 08/04/2008 4:52:30 PM

Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BASKET LID ASSEMBLY

Job Number: 38457A

Part Number: D2989041

Job Number:



Seq. #:

Machine Or Operation:

Description:

11.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: Inspect Powder Coat and Wing Walk

12.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



Dart Aerospace Ltd

W/O:			WORK ORDER	CHANGES					
DATE	STEP	PROC	CEDURE CHANGE	В	y C	ate	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	: <u></u>	PAR #:	_ Fault Category:	NCR: `	es No	DQA	\ :	_ Date: _	
				Q	A: N/C	Closed	l:	Date:	

NCR:		,	WORK ORD	DER NON-CONFORMANC	E (NCR)							
	-	Description of NC		Corrective Action Section B		Verification Ap	Approval	Annroyal				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector				

NOTE: Date & initial all entries



DESIG	DESIGN DRAWN BY DS PH		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHEC	KED ,/	APPROVED	DRAWING NO. REV. B
	att	M	D2989 SHEET 1 OF 3
DATE			TITLE SCALE
05.0	06.07		BASKET LID ASSEMBLY NTS
Α		00.10.27	NEW ISSUE
В		05.06.07	ADD SHIM UNDER HINGES,UPDATE LID DIMENSIONS

RELEASED 05.08.19

PARTS LIST:

				TUBING OUN
Qty -041	Qty -043	Part Number	Description	DE)
Х		D2989-041	BASKET LID ASSEMBLY (OUTSI	DE) 0 %
	X	D2989-043	BASKET LID ASSEMBLY (INSIDE	<u> </u>
	1	D2989-1	STRUT	
	1	D2989-2	STRUT	Jul 1
	1	D2989-3	STRUT	
	1	D2989-4	STRUT	
	2	D2989-5	STRUT	
	2	D2989-7	STRUT	
1		D2989-9	STRUT	
1		D2989-10	STRUT	
1		D2989-11	STRUT	
1		D2989-12	STRUT	
2		D2989-13	STRUT	
2		D2989-15	STRUT	
2		D2327-3	SPACER BUSHING	
1		D2506	LABEL PLATE	SHOP COPY
2	.2	D2989-17	STRUT (96.00" LONG)	RITURN TO
2		D2989-19	STRUT (31.19" LONG)	FNGINEERING
1		D2512-7	STRUT	UNCONTROLLED COPY
2		D2581	MOUNTING BRACKET	SUBJECT TO AMENDMEN
	2	D3182-1	HINGE	WIT HOUT NOTICE
	2	D3442-3	SHIM	WORK ORDER
B				77 201/5/1

NOTES:

280.0

- 1) FRAME MATERIAL: AISI 304/316 SS, 3/4 x 3/4 x 0.060 WALL SQUARE TUBING D2989-3/4/5/11/12/13 CAN BE MADE FROM D2236
- 2) MESH MATERIAL: 3/4-16F EXPANDED SS (REF DART SPEC M304EX0.75-16F)
- 3) WELD PER DART QSI 004
- 4) FINISH: POWDER COAT WHITE (REF. 4.3.5.2) PER DART QSI 005 4.3.

BLACK ANTI-SKID PAINT AS INDICATED PER DART QSI 005 4.4. SPRAY PAINT

INSIDE SURFACE BLACK PRIOR TO APPLYING ANTI-SKID.

- 5) ALL DIMENSIONS ARE IN INCHES
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright @ 2000 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



